


# UHF Apparel Tags

## Mi-Linotag 360 (Label Tag)



### MECHANICAL DIMENSIONS

<b>A</b>	Linotag Height	30.0 ± 1.0	mm
<b>B</b>	LinoTag Widht	90.0 ± 0.1	mm

### FEATURES

<b>Applications</b>	<ul style="list-style-type: none"> <li>• Apparel Tags</li> <li>• Asset Management</li> </ul>
<b>Operating Distance</b>	<p>Typically ~ 9m on air (9dbi antenna)</p> <p>Typically ~ 9m on air using Mi870E Handheld Reader</p>
<b>Frequency</b>	860-960 MHz
<b>Transmission</b>	Passive
<b>RF Air Protocol</b>	EPC Class 1 Gen 2 Compliant
<b>Functions</b>	<ul style="list-style-type: none"> <li>• Anti-Collision: Slotted Aloha</li> <li>• Multiple Read Capability: 50 tags/seconds (ID Read)</li> <li>• Multiple Read Capability: 500 tags/seconds (EPC Read)</li> </ul>
<b>Chip</b>	• Impinj Monza 4
<b>Memory</b>	• 128 bits EPC memory

A Product of:



**MDT INNOVATIONS SDN. BHD.**  
 Suite 19-04A, The Pinnacle Persiaran Lagoon, Bandar  
 Sunway 46150 Petaling Jaya, Malaysia.  
 TEL: +60(3) 7610 2988  
 FAX: +60(3) 7610 2999  
 EMAIL: [contact@mmdt.cc](mailto:contact@mmdt.cc)



All rights reserved.  
 Product specification are subject to change without prior notice.


# UHF Apparel Tags

## Mi-Linotag 360 (Label Tag)



### DELIVERY FORM

<b>Physical Characteristics</b>	Flexible Substrate with E-String
<b>AFI</b>	Yes
<b>Write Protection</b>	Block Wise
<b>Static Pressure</b>	10 N/mm <sup>2</sup>
<b>Antenna</b>	MiRFID™ LT006 Antenna
<b>Antenna Material</b>	Copper
<b>Operating Temperature</b>	-20°C to 85°C
<b>Write Endurance Cycle</b>	100,000 cycles
<b>Data Retention</b>	Typical 10 years
<b>Tag Format</b>	Singulated Tag
<b>Tag Face Material</b>	Fabric
<b>Tag Backing Material</b>	Fabric
<b>Final Inspection</b>	100% inspection. Yield >98%.
<b>Printable Area</b>	Yes (optional)
<b>Appearance</b>	Singulated Tag with E-String
<b>Packaging</b>	Packed in cardbox



<b>Data Sheet Version</b>	Mi-Linotag-360
<b>Date</b>	30 September 2015

A Product of:



**MDT INNOVATIONS SDN. BHD.**  
Suite 19-04A, The Pinnacle Persiaran Lagoon, Bandar  
Sunway 46150 Petaling Jaya, Malaysia.  
TEL: +60(3) 7610 2988  
FAX: +60(3) 7610 2999  
EMAIL: [contact@mmdt.cc](mailto:contact@mmdt.cc)



All rights reserved.  
Product specification are subject to change without prior notice.